United States Department of Agriculture
Animal and Plant Health Inspection Service

97141515494708 insp_id

Inspection Report

METRO RICHMOND ZOO

Customer ID: **2469**
Certificate: **52-C-0028**
Site: 001
METRO RICHMOND ZOO

8300 BEAVER BRIDGE ROAD

MOSELEY, VA 23120

Type: ROUTINE INSPECTION
Date: 08 April 2014

3.80 (a)(2)(ix)

PRIMARY ENCLOSURES.

***Two of the indoor primate shelters in the barn are no longer sanitizable because the concrete floors are excessively worn underneath the feeders and are pitted to the extent that standing water is left after hosing. Lack of proper sanitizing and drying contributes to odor problems, and detracts from disease control and the general health and well-being of the animals.
The floors must be repaired or replaced.
Correct by: 9 July 2014

An exit interview was conducted with the licensee.

Prepared By: DORIS HACKWORTH, D V M
DORIS T HACKWORTH, D V M USDA, APHIS, Animal Care
Title: VETERINARY MEDICAL OFFICER Inspector 2029
Date: 08 April 2014

Received By: (b)(6),(b)(7)(c)
Title:
Date: 08 April 2014

Inspection Report Explanation: http://www.aphis.usda.gov/animal_welfare/downloads/IR_Explanation.pdf